

900T2 +GL



200274

Technical specification

Name	Glass top 900T2 +GL
Code-No.:	200274
Material:	Glass
Design:	<ul style="list-style-type: none">▪ Easy assembling kit▪ 1 glass shelf, W 856 x D 298 mm maximum useable height: bottom - 230 mm, top - 168 mm
Dimensions:	W 880 x D 540 x H 425 mm
Weight:	25,4 kg

We reserve the right to make technical changes!

Overview of parts



- 1** Glass top
- 2** Shelf for glass top

Tip: Remember that the glass shelf of the glass top is not designed for cooling food products.

Assembling the glass top on the Saladette 200275




NOTE!

The glass top should be assembled by 2 persons!

- Unpack the device and dispose of all the packaging material.
- Verify if a the accessories have been supplied.

Scope of supply for the glass top (fig. on page 7)

	Name	Quantity		Name	Quantity
1	Glass support	6 pcs.	7	Glass shelf	1 pc.
2	Screws for the glass support	12 pcs.	8	Right glass	1 pc.
3	Threaded stud	6 pcs.	9	Cylindrical head screws	20 pcs.
4	Left glass	1 pc.	10	Angle connectors for glass	10 pcs.
5	Upper glass	1pc.	11	Nut	20 pcs.
6	Rear glass	1 pc.	12	Rubber rings	20 pcs.



1. First, attach the glass supports (1) (2 on the left, 2 on the right and 2 at the rear) on the housing of the saladette. Use the supplied screws (2).
2. Fit the left (4) and right (8) glass in the mounted glass supports (1). Manually tighten the threaded studs (3) of glass supports. **Do not overtighten the studs as the glass may break!**
3. Using the supplied cylindrical head screws (9), rubber rings (12) and nuts (11) mount two angle connectors (10) in the middle of the left (4) and right (8) glass. Place the glass shelf (7) and fasten it by screwing.
4. Using the nuts (11), rubber rings (12) and screws (9) mount another 2 angle connectors (10) in the rear part of the left (4) and right (8) glass. Fit the rear glass (6) in the glass supports (1) and fasten the rear glass (6) with left (4) and right (8) glass by screwing.
5. Using the nuts (11), rubber rings (12) and screws (9) mount 2 pairs of angle connectors (10) in the upper areas of the left (4) and right (8) glass. Next, place the upper glass (5) on the right (8), left (4) and rear (6) glass and fasten it to the angle connectors on the right and left sides.

6. Finally, check whether all the glass panes have been tightly secured.



Cleaning

Clean regularly the interior and exterior of the glass top with a soft cloth and food grade disinfectant. Wipe the glass surfaces with a cloth soaked with clean water and dry thoroughly.

Bartscher GmbH
Franz-Kleine-Str. 28
33154 Salzkotten
Germany

phone: +49 (0) 5258 971-0
fax: +49 (0) 5258 971-120